## Dr. Faren Angella, MD | Dr. Jason Appelbaum, MD | Dr. Robert Fishel, MD Dr. Marcelo Jimenez, MD | Dr. Matthew Kolek, MD | Dr. Vladimir Rankovic, MD | Dr. Alejandro Restrepo, MD



# POST PROCEDURE PATIENT DISCHARGE INSTRUCTIONS Pacemaker or Defibrillator

### **Care of your Incision Site:**

- You will be discharged with a dressing over your incision site or surgical glue also known as
  Dermabond, which does not require a dressing. Do not remove dressing, it will be removed at
  the post op check visit at the office or the date written on the Band aid. If you have steri strips
  (surgical band aids) do not remove or pick at them they will fall off on their own as your incision
  heals.
- Bruising and swelling may occur around the incision site. This is normal and should resolve over
   4 6 weeks.
- Keep the incision site dry for 1 week. Do not shower or soak in the bath tub. Sponge-baths are acceptable. Cover your incision site, prior to sponge baths in order to keep the site dry.
- Do not apply lotions, creams, alcohol or hydrogen peroxide to the incision site.
- <u>After</u> one week, you may shower and get the incision wet. Wash the area with soap and water gently and allow the water to run over the incision, pat the area dry..

#### CALL THE DOCTOR IMMEDIATELY IF YOU HAVE ANY OF THE FOLLOWING:

- Signs of infection, such as fever over 100.4 degrees F, drainage from the incision, redness, swelling, or warmth to touch around the incision.
- Pain around the site that gets worse
- Bleeding from the incision site
- Swelling in the arm on the side of the incision site
- Severe swelling of the incision site
- Chest pain or shortness of breath
- If you have a defibrillator implanted you may receive a powerful shock in the event of a bad heart rhythm. Call the office anytime for recommendation.

\*\*\*\*\*\*More than one shock call 911, do not drive yourself to hospital\*\*\*\*\*

#### **Activity:**

- Do not wear the sling after discharge. Do not raise your elbow higher than your shoulder. It is important to move the joint gently while awake to prevent frozen shoulder.
- Do not lift the affected arm over your head on the side of device for six weeks
- Do not lift more than 5 pounds for six weeks
- Do not drive for one week
- Do not do any vigorous activities such as golfing, tennis, swimming, bowling or mowing the lawn for six weeks
- Do not go in the ocean swimming pools, or any lakes until completely healed after six weeks.
- All other activities including walking, light bicycling and sex are permissible.
- You may return to work one week post procedure.



#### **Post-operative Appointments:**

- Please call our office at 561-434-0353 to make an appointment for the nurse to do a post-operative check, approximately two weeks after surgery.
  - o Patients of Dr. Fishel: Please do not remove the bandage until your post-operative check, approximately four weeks after surgery
- Another follow-up appointment will be made 3 months post implantation to check the device. Then follow up visits will be recommended every 3 to 6 months.
- Follow up with your primary cardiologist in 1-2 weeks.

### **Important Information:**

- You should have received a temporary pacemaker ID card from the device company, the permanent card will arrive in 6-8 weeks to your home. PLEASE CARRY THIS CARD AT ALL TIMES
- Inform all doctors, dentist and medical persons that you have a pacemaker
- Avoid, if possible any dental, gastrointestinal or urinary procedures for 1 month post device
  placement. If the procedure cannot be avoided you may need antibiotics prior to your
  procedure.
- Report any symptoms of dizziness, lightheadedness, slow pulse or blackout
   Frequently Asked Questions:
- Home Appliances: you may operate any electrical device in your home, including your microwave less than 15 years old.
- Airport metal detectors: will not affect your device, although you may set off the metal detector. Show the security officer your device ID card.
- Cellular phones: are not likely to interfere with the device. The cellular phone should not be carried in a pocket next to the pacemaker device.
- Special Work Conditions: if you work near high voltage lines, transmitting tower, large motors, or powerful magnets please discuss with your EP doctor or Cardiologist.
- MRI- please tell them you have a pacemaker. Most pacemakers are compatible, but this needs to be confirmed by the office.
- Avoid magnetic pillows or mattresses used in pain therapy
- NO operating gas powered chain saws!

#### For questions specific to you device, please feel free to call the manufacturer of your device:

Medtronic1-800-551-5544St. Jude1-800-722-3423Boston Scientific1-800-227-3422Biotronik1-800-547-0394